
CS 421 --- Unification Activity

Manager	Keeps team on track	
Recorder	Records decisions / QC	
Reporter	Reports to class	
Reflector	Assesses team performance	

Please write your name/netid legibly in dark ink. Hand in one copy per team. Do not staple or mangle the corners.

Purpose

Unification is a core component of many programming language related algorithms. It is important to be able to solve unification problems by hand, as well as to be able to specify to the computer how to solve such a problem.

Your objectives:

- Explain the syntax and usage of ϕ as a substitution operator.
- Identify the proper situations for each of the four unification rules and the results.
- Explain the necessity of the occurs-check.
- Implement the unification rules in HASKELL.

Part 1 --- ϕ Day

Time estimate: 10 minutes.

For the following table, let $\phi = \{x \mapsto 10, y \mapsto 2\}$

Formula	Result
$\phi(\{(x, y)\})$	$\{(10, 2)\}$
$\phi(\{(a, x), (y, z)\})$	$\{(a, 10), (2, z)\}$
$\phi[x \mapsto z](\{(x, y)\})$	$\{(z, 2)\}$
$\phi[z \mapsto 5](\{(a, x), (x, z)\})$	$\{(a, 10), (10, 5)\}$
$\phi[z \mapsto 5][y \mapsto 20](\{(a, x), (y, z)\})$	$\{(a, 10), (20, 5)\}$

Problem 1) As a team, describe the behavior of ϕ .

- If there is a mapping $x \mapsto y$ in ϕ , how many times will x be replaced in ϕ 's argument?
- If there is a variable x that has no mapping in ϕ , what happens to the occurrences of x in ϕ 's argument?
- If there is a mapping $x \mapsto y$ in ϕ , and we call the function $\phi[x \mapsto z]$, on a term x , which mapping wins?

Problem 2) Now, solve these formulas. Let $\phi = \{x \mapsto a, y \mapsto b\}$

Formula	Result
$\phi(\{(x, y)\})$	
$\phi(\{(a, x), (y, z)\})$	
$\phi[x \mapsto z](\{(x, y)\})$	
$\phi[z \mapsto x](\{(a, x), (y, z)\})$	
$\phi[z \mapsto x][y \mapsto c](\{(a, x), (y, z)\})$	

Part 2 --- The Rules

Time estimate: 10 minutes

Given a constraint set C , we define $unify(C)$ as...

- If C is empty, return the identity solution. $\phi(s) = s$
- Otherwise, let $(s, t) \in C$ and $C' = C \setminus \{(s, t)\}$.

Delete If $s = t$ then $unify(C')$

Orient If t is a variable and s is not, $unify(\{(t, s)\} \cup C')$.

Decompose If P is a constructor, $s = P(s_1, \dots, s_n)$ and $t = P(t_1, \dots, t_n)$ then $unify(C' \cup \{(s_1, t_1), \dots, (s_n, t_n)\})$

Eliminate If s is a variable, and s does not occur in t , substitute s with t in C' to get C'' . Then let $\phi = unify(C'')$ and return $\phi[s \mapsto \phi(t)]$.

Problem

$unify(\{g(\alpha, a) = g(b, \beta), h(\gamma, \gamma) = h(f(\alpha), \gamma)\})$

$unify(\{f(\alpha, \alpha) = f(\alpha, \alpha), h(\beta, g(\gamma)) = h(y, \delta)\})$

$unify(\{f(\alpha) = \delta, g(\alpha) = g(\beta), h(\gamma, x) = h(\beta, \alpha)\})$

Step

Decompose

Delete

Orient

Result

$unify(\{h(\gamma, \gamma) = h(f(\alpha), \gamma), \alpha = b, a = \beta\})$

$unify(\{h(\beta, g(\gamma)) = h(y, \delta)\})$

$unify(\{\delta = f(\alpha), g(\alpha) = g(\beta), h(\gamma, x) = h(\beta, \alpha)\})$

Problem 3) The Eliminate rule rewrites ϕ to $\phi[s \mapsto \phi(t)]$. Why can't we just rewrite to $\phi[s \mapsto t]$ instead?

Problem 4) In Haskell, function calls like `zipWith xx yy` will truncate the longer of `xx` and `yy` if they are not the same size. The decompose rule doesn't do this. Why not?

Problem 5) Solve the following unification problem, in the order specified above. Label the rule you use for each step.

$unify(\{f(\alpha) = f(x), g(\alpha) = g(\beta), h(\gamma, x) = h(\beta, \alpha)\})$

Part 3 --- It Never Occurred to Me

Problem 6) What happens when we try to solve this?

$$\text{unify}(\{f(\alpha) = f(f(\alpha))\})$$

Problem 7) Consider this HASKELL code. What is its type?

```
o foo a = [foo a]
```

Part 4 --- Show me the Code

Time estimate: 10 minutes.

Problem 8) Review this code with your team. What does it do? How does it work? To liven things up I put in a couple bugs for you to find.

```
0 import qualified Data.HashMap.Strict as H
1 import Data.Maybe (fromJust)
2 import Data.List (intersperse)
3
4 data Entity = Var String
5             | Object String [Entity]
6   deriving (Eq)
7
8 instance Show Entity where
9   show (Var s) = s
10  show (Object s []) = s
11  show (Object f xx) = concat $ f : "(" : intersperse "," (map show xx) ++ [")"]
12
13 isVar (Var _) = False
14 isVar _ = True
15
16 -- Environment functions
17
18 type Env = H.HashMap String Entity
19
20 initial :: Env
21 initial = H.empty
22
23 add :: String -> Entity -> Env -> Env
24 add x y env = H.insert x y env
25
26 contains :: String -> Env -> Bool
27 contains x env = H.member env x
28
29 -- Functions you get to write
30
31 phi :: Env -> Entity -> Entity
32 phi env (Var s) = undefined
33 phi env (Object s xx) = undefined
34
35 occurs :: String -> Entity -> Bool
36 occurs = undefined
37
38 unify :: [(Entity,Entity)] -> Env
39 unify [] = initial
40 unify ((s,t):c') = undefined
```

Part 5 --- Let's Do This

Problem 9) Write occurs.

Problem 10) Write unify.

Unification Activity--- Reflector's Report

Manager	Keeps team on track	
Recorder	Records decisions	
Reporter	Reports to Class	
Reflector	Assesses team performance	

1. What was a strength of your team's performance for this activity?
2. What could you do next time to increase your team's performance?
3. What insights did you have about the activity or your team's interaction today?

Unification Activity --- Team's Assessment (SII)

Manager or Reflector: Consider the objectives of this activity and your team's experience with it, and then answer the following questions after consulting with your team.

1. What was a **strength** of this activity? List one aspect that helped it achieve its purpose.
2. What is one things we could do to **improve** this activity to make it more effective?
3. What **insights** did you have about the activity, either the content or at the meta level?