

# Introduction to Semantics

Dr. Mattox Beckman

UNIVERSITY OF ILLINOIS AT URBANA-CHAMPAIGN  
DEPARTMENT OF COMPUTER SCIENCE



# Objectives

- ▶ Define *judgment* and explain its purpose in programming languages.
- ▶ Use *proof rules* to define judgments inductively.
- ▶ Use *proof trees* to prove properties about complex syntactic objects.

This presentation draws from Robert Harper's first chapters in [Har12].

# Judgments

- ▶ A *judgment* is an assertion about a syntactic object.
- ▶ Examples:

# Judgments

- ▶ A *judgment* is an assertion about a syntactic object.
- ▶ Examples:
  - ▶ 3 is odd

# Judgments

- ▶ A *judgment* is an assertion about a syntactic object.
- ▶ Examples:
  - ▶ 3 is odd
  - ▶  $2 + 3 \Downarrow 5$

# Judgments

- ▶ A *judgment* is an assertion about a syntactic object.
- ▶ Examples:
  - ▶ 3 is odd
  - ▶  $2 + 3 \Downarrow 5$
  - ▶  $\vdash 2.4 > 3.5 : \text{Bool}$

## The Parts of a Rule

- ▶ We can also define judgments inductively.
- ▶ Let  $J, J_1, J_2, \dots, J_n$  be a set of judgments.
- ▶ Then we can have a *rule* as follows:

$$\frac{J_1 \quad J_2 \quad \dots \quad J_n}{J} \text{ LABEL}$$

## The Parts of a Rule

- ▶ We can also define judgments inductively.
- ▶ Let  $J, J_1, J_2, \dots, J_n$  be a set of judgments.
- ▶ Then we can have a *rule* as follows:

$$\frac{J_1 \quad J_2 \quad \dots \quad J_n}{J} \text{ LABEL}$$

- ▶ The  $J_1 \dots J_n$  are called *assumptions* or *premises*.
- ▶  $J$  is called a *conclusion*.



# Axioms

- ▶ It's possible for there to be no assumptions!
- ▶ Such a rule is called an *axiom*.

$$\frac{}{J} \text{ LABEL}$$

## Side Conditions

- ▶ If a premise is not a judgment, we sometimes write it as a *side condition*.

$$\frac{}{x \text{ is even}} \text{MOD0}, x \bmod 2 = 0$$

## Example: Even and Odd Numbers with Addition

$$\frac{}{x \text{ is even}} \text{MOD}0, x \bmod 2 = 0$$

$$\frac{}{x \text{ is odd}} \text{MOD}1, x \bmod 2 = 1$$

$$\frac{x \text{ is even} \quad y \text{ is even}}{x + y \text{ is even}} \text{EVEN+EVEN}$$

$$\frac{x \text{ is odd} \quad y \text{ is odd}}{x + y \text{ is even}} \text{ODD+ODD}$$

$$\frac{x \text{ is even} \quad y \text{ is odd}}{x + y \text{ is odd}} \text{EVEN+ODD}$$

$$\frac{x \text{ is odd} \quad y \text{ is even}}{x + y \text{ is odd}} \text{ODD+EVEN}$$

## Example: Even and Odd Numbers with Multiplication

$$\frac{x \text{ is even} \quad y \text{ is even}}{x \times y \text{ is even}} \text{EVEN} \times \text{EVEN}$$

$$\frac{x \text{ is odd} \quad y \text{ is odd}}{x \times y \text{ is odd}} \text{ODD} \times \text{ODD}$$

$$\frac{x \text{ is even} \quad y \text{ is odd}}{x \times y \text{ is even}} \text{EVEN} \times \text{ODD}$$

$$\frac{x \text{ is odd} \quad y \text{ is even}}{x \times y \text{ is even}} \text{ODD} \times \text{EVEN}$$

## Building Proof Trees

- ▶ We can use these rules to prove judgments about objects inductively.

$$\frac{\frac{}{4 \text{ is even}} \text{MOD0}, 4 \text{ mod } 2 = 0 \quad \frac{}{7 \text{ is odd}} \text{MOD1}, 7 \text{ mod } 2 = 1}{4 + 7 \text{ is odd}} \text{EVEN+ODD}$$

- ▶ There are two ways you can use proof trees.
  - ▶ Prove a property you already know.
  - ▶ Infer a property you don't already know.

# Using Proof Trees to Prove

How to use it:

- ▶ Start with the judgment you want to prove.

$4 + 7$  is odd

## Using Proof Trees to Prove

How to use it:

- ▶ Start with the judgment you want to prove.
- ▶ Decide which rule applies.

$$\frac{}{4 + 7 \text{ is odd}} \text{EVEN+ODD}$$

## Using Proof Trees to Prove

How to use it:

- ▶ Start with the judgment you want to prove.
- ▶ Decide which rule applies.
- ▶ Recursively prove first subexpression.

$$\frac{\frac{}{4 \text{ is even}} \text{ MOD } 0, 4 \text{ mod } 2 = 0}{4 + 7 \text{ is odd}} \text{ EVEN+ODD}$$



## Using Proof Trees to Prove

How to use it:

- ▶ Start with the judgment you want to prove.
- ▶ Decide which rule applies.
- ▶ Recursively prove first subexpression.
- ▶ Recursively prove second subexpression.

$$\frac{\frac{}{4 \text{ is even}} \text{MOD}0, 4 \text{ mod } 2 = 0 \quad \frac{}{7 \text{ is odd}} \text{MOD}1, 7 \text{ mod } 2 = 1}{4 + 7 \text{ is odd}} \text{EVEN+ODD}$$

## References

- [Har12] Robert Harper. *Practical Foundations for Programming Languages*. 2012, p. 496.  
DOI: [10.1017/CB09781139342131](https://doi.org/10.1017/CB09781139342131).